

DDAP Instructions for Creating a PostScript File Quark 4 for Macintosh using Adobe PS and the DDAP PPD

1

Please obtain the latest version of Adobe Printer Driver at: http://www.adobe.com/products/printerdrivers/main.html Also obtain the DDAPv3 PPD from the DDAP web site at: http://www.ddap.org/tools/univppd/DDAPv3_PPD.hqx

You have to install the Adobe Printer Driver on your system. Follow the instructions when you run the installer. You have to copy the **DDAPv3 PPD** to the **Printer Description** folder that's located in the **System** folder, **Extensions** folder. Please remove any old DDAP PPD files.

1. In Chooser, you need to setup a PostScript Printer with Adobe PS and the DDAPv3 PPD. It is recommend that you setup a Virtual Printer, see instructions below. If you do not have a PostScript printer available, see the note below.

How to Set up a Virtual Printer:

1a. Open a document and go to **Page Setup** and click on **Printer**: Select **Virtual Printer**

1b. Once you've chosen **Virtual Printer**, you should select the Virtual Printer Pull-down, then **Select PPD**. You will be shown a dialog box, which lists all the PPDs that are in your **Printer Descriptions** folder. Highlight the **DDAPv3 PPD** and then click on **Select**.

1c. You should select **DDAP_Single** as your **Paper** size. You have now configured the **Virtual Printer** with the **DDAPv3 PPD** and can use the **Virtual Printer** icon, that appears on your desktop to make your PostScript files. The **Virtual Printer** can only create PostScript files; it does not allow you to print to a LaserWriter or other printer. When you need to make another PostScript file, you can select it by clicking on the icon and type (**Command-L**).

Note: If you do not have a PostScript printer available, you can still create a **Virtual Printer** by using the **Desktop Printer Utility**. Select **AdobePS** as the Print Driver and "no printer connection" as the **Printer**. **Change** the PPD and **Select** the **DDAPv3 PPD** then click **Create**. Once the printer has been created, open a document and go to **Page Setup** and click on **Printer**: Select **Virtual Printer**, then follow the steps above.











DDAP Instructions for Creating a PostScript File Quark 4 for Macintosh, version 1.3

2. Document Setup: (Document Setup: File menu) Ensure that the document page size is not larger than the maximum image area. Check to ensure that the ad's live matter is within the trim and safety of the publications in which the ad will be printed, if the ad goes beyond the trim, that there is sufficient bleed image defined. The DDAP Association recommends that the file's image size is made larger than the trim and bleed and that actual trim and bleed marks be included along with agency information and color bar (see the DDAP Sample pages for examples).

3. Spot Colors: (Edit Menu: **Colors...**) Unless it is a paid-for spot color, check to ensure all colors are process. Also check that all illustrations have spot colors converted to process.

- a) Select the Color
- b) Edit the Color
- c) Model: Pantone or CMYK
- d) Spot Color: Off
- e) Click: Save

4. Font Usage: (Utilities menu: **Font Usage...**) Check all fonts to ensure they are OK. Confirm that all fonts read style <<plain>> in this menu.

5. Picture Usage: (Utilities menu: **Picture Usage...**) Check for any pictures that need updating or are missing.

- a) Print: 🗸
- b) Type: EPS or TIFF; No CT
- c) Status: OK

6. Print Dialog (File menu: Print... Document Tab)

- a) Separations: Off
- b) Spreads: Off
- c) Include Blank Pages: Off
- d) Thumbnails: Off
- e) Back to Front: Off
- f) Page Sequence: All
- g) Registration: Off
- h) Tiling: Off
- i) Bleed: .125"

7. Print Dialog (File menu: Print... Setup Tab)

- a) Printer Description: DDAPv3 PPD
- b) Paper Size: DDAP_Single or DDAP_Spread
- c) Reduce or Enlarge: 100%
- d) Page Positioning: Center
- e) Fit in Print Area: Off
- f) Orientation: Portrait

Sage

Fette Pictures

None
Historica oPlains
Historica oPlains

Historica oPlains

Patterprint

More Information
Patterprint

More Information

Show First
Replace..

Done
Show First
Replace..

Usage						
Fonts Picture	5					
Print V Name			Page	Type	Status	
V HD Di	sk:Picture Usage		1	TIFF	ОК	-
I √ HD Di	sk: Process Color		1	EPS	OK	
√ HD Di	sk::Quark3.3Mao Ir	nages Edit Color	1	EPS	0K	
I √ HD Di	sk : :PageSetup4		1	TIFF	OK	
√ HDDi	sk:PageSetup3		1	TIFF	OK	
√ HDDi	sk:PageSetup2		1	TIFF	OK	
I V HD Di	sk : :Select PPD		1	TIFF	OK	
I √ HD Di	sk::Quark3.3Mao Ir	nages:Chooser	1	TIFF	0K	
I √ HD Di	sk:Quark3.3Mac Ir	nages Print7	2	TIFF	OK	•
More Infor	rmation	Done	Sho	W	Updat	te
More Info	rmation	Done	Sho	W	Updat	te
More Info	rmation (Done Print	Sho	ш Ш	Updat	te
More Infor Print Style: [Default v	Done	Shc	W	Updat	te
More Infor Print Style: 1 Copies: 1	Default v Pages: All	Done Print	Shc	r) (Rang	Updat e Separa	tors)
More Info	Pages: All	Done Print	Shc	r) (Rang	Updat e Separa	tors)
More Info Print Style: [Copies: 1 Document Setu	Pefault ▼ Pages: All p Output Options ins	Done Print	Sht	r (Rang	Updat e Separat	tors)

Offset

Capture Settings Cancel Print

Page 2 of 4

Registration:

Tilina:

7

Off ▼

Off V

Page Setup... Printer...

Print Style: Default 🔻		
Copies: 1 Pages:	All	Range Separ
Document Setup Output 0	Options Preview	
Printer Description: D	DAPv3 PPD 🔻	
Paper Size: D	DAP_Single 🔻	
Paper Width: 11	1"	Paper Offset:
Paper Height: 17	7" 🔻	Page Gap:
Reduce or Enlarge: 10	00%	🔲 Fit in Print Area
Page Positioning: Co	enter 🔻	Orientation: 🌆 🚺



Edit Color					
Name:					
PANTONE 185 CU	1767	182	189		
Model: PANTONE® Coated 🔻	1777	183	190		
🔲 Spot Color	1787	184	191		
Halftone: Process Black 🔻	Red 032	185	192		
	1797	186	193		
	1807	187	194		
Nour					
New.	1817	188	195		
	۱		Þ		
uriginai:	PANTONE		CV		
© 1998, Quark, Inc.	© Pantone, Inc., 1991	Cancel	ОК		

3a

3c

8. Print Dialog (File menu: Print... Output Tab)

- a) Print Colors: Composite CMYK
- b) Halftoning: Conventional
- c) Resolution: 2400(dpi)
- d) Frequency: 133 (lpi)

Note: C, M, Y, K, should be the only colors listed for 4/c ads.

9. Print Dialog (File menu: Print... Options Tab)

- a) Quark PostScript Error Handler: Off
- b) Paper Flip: None
- c) Negative Print: Off
- d) Pictures: Output: Normal
- e) Data: Binary
- f) OPI: Include Images
- g) Overprint EPS Black: **On**
- h) Full Resolution TIFF Output: On



- a) Printer: Virtual Printer
- b) Paper: DDAP_Single or DDAP_Spread
- c) Orientation: Portrait
- d) Scale: 100%

11. Page Setup Dialog: (File menu: Page Setup... **PostScript Options**)

- a) De-select all Visual Effects and Options
- b) De-select all Image and Text Options

12. Print Dialog: (File menu: Print... General)

- a) Destination: File
- b) Copies: 1
- c) Pages: All

13. Print Dialog: (File menu: Print... Cover Page)

a) Print Cover Page: None

		Print			
rint Sty	yle: Default 🔻				
opies:	1 Pages: All		•	Bang	e Separato
Documen	t Setup Output Option	Preview			
Duine (Commentes d		Deseter		
Print (composite C	мүк ▼	Resolu	cion: 2400	J ▼ (a
			E		
Halfto	ning: Conventiona		Freque	nuv: 133	u
Halfto	ning: Conventiona		Freque	ncy: 135	(i
Print	Plate	Halftone	Freque	TAngle	Function 3
Halfto Print √	Plate Process Cvan	Halftone	Freque	* Angle	T Function
Halfto Print √	Plate Process Cyan Process Magenta	Halftone	Freque Frequency 133 133	* Angle 15° 45°	V Function V Default Default
Halfto Print √ √	Plate Process Cyan Process Yellow	Halftone	Frequency 133 133 133	* Angle 15° 45° 0°	Function T Default Default Default
Halfto ✓ ✓ ✓	Plate Process Cyan Process Magenta Process Vellow Process Black	Halftone	Freque Frequency 133 133 133 133 133	* Angle 15° 45° 0° 75°	Function T Default Default Default Default
Halfto ✓ ✓ ✓ ✓	Plate Process Cyan Process Magenta Process Black	Halftone - - -	Frequency 133 133 133 133 133 133	* Angle 15° 45° 0° 75°	Function Default Default Default Default
Halfto ✓ √ √	Process Cyan Process Cyan Process Pagenta Process Pellow Process Black	Halftone - - - -	Freque 133 133 133 133 133	* Angle 15° 45° 0° 75°	Function Default Default Default Default
Halfto ✓ ✓ ✓	Plate Process Cyan Process Magenta Process Magenta Process Black	Halftone - - -	Frequency 133 133 133 133	* Angle 15° 45° 0° 75°	Function Default Default Default Default

8

1





PostScript" Options 3	Visual Effects: Filip Horizontal Filip Vertical Invert Image Image & Text: Substitute Fonts Substitute Fonts Smooth Text Precision Bitmap Alignent Precision Bitmap Alignent Unlimited Downloadable Fonts
-----------------------	---



Printer: Virtual Printer 💠)	Destination: File
Print Cover Page: 🖲 None		
Befor	e Document	
🔾 After	Document	
Cover Page Paper Source:	0nly0ne	\$
L		
	A	

14. Print Dialog: (File menu: Print... **Color Matching**) a) Print Colors: **Color/Grayscale**

- 15. Print Dialog: (File menu: Print... Error Handling)a) If there is a PostScript error: No Special Reporting
- 16. Print Dialog: (File menu: Print... PostScript Settings)
 - a) Format: PostScript Job
 - b) PostScript Level: Level 1, 2 and 3 Compatible
 - c) Data Format: Binary
 - d) Font Inclusion: All
 - e. Click: Save
- 17. You should get a new Dialog box
 - a) Navigate to the folder in which you will save the file:
 - b) Name: Type your File Name.ps
 - c) Click Save

4 4		9.7.2 (104)
14	Printer: Virtual Printer 💠	Destination: File \$
	- Color Matching	
	Print Color: Color/Gravesalo	
	Color/Grayscale	
	Printer Profile: 4/C Ctd. TRUMATCH/	BIT/P \$
	Save Settings	Cancel Save
	Adobe	
15		8.7.2 (104)
	Printer: Virtual Printer 💠	Destination: File 🜩
	Error Handling 🔹	
	If there is a PostScript™ error:	
	No special reporting	
	Summarize on screen	
	O Print detailed report	
	1	
	/ 1	
	Save Settings	Cancel Save
40		
16	Printer Virtual Printer	Bastination: File
	PostScript Settings 🗢	
	Format: PostScript Job	\$
	PostScript Level: Level 1. 2 and 3 Com	patible
	🔾 Level 2 Only	
	🔾 Level 3 Only	
	Data Format: O ACCU	
	Binary	
	Font Inclusion: All	<u>+</u>
	Save Settings	Cancel Save
17		
17	Quark4 Mac 🔷	. . .
17	Quark4 Mac 🗘	Date Modified
17	Quark4 Mac 🗦	Date Modified 🛓
17	Quark4 Mac 🗘	Dete Modified A Today
17	Quark4 Mac Name P Chooser P Edit Color P Edit Color P Edit Linese	Date Modified ▲ Today ● 7/7/00 ●
17	Quark4 Mac Name Chooser Edit Color Font Usage	Date Modified A Today A 7/7/00 A 7/7/00 A
17	Quark4 Mac Name P Chooser Edit Color P Tont Usage P PageSetup 1	Dete Modified A Today A 7/7/00 7/7/00 7/7/00 7/7/00 7/6/00 7/6/00
17	Quark4 Mac Image: Chooser P Chooser Edit Color P Fant Usage P PageSetup1 P PageSetup2 P PageSetup2	Dete Modified A Today A 7/7/00 7/7/00 7/6/00 7/7/00

Name: File Name.ps

Create File

New 🐧

Save

Cancel